



Product Service

Attestation of Conformity

No. M8A 108819 0009 Rev. 00

**Holder of Attestation: ALP POMPA TEKNOLOJILERI
TICARET SANAYI A.S.**

Dudullu OSB 2.Cadde No:14
34775 Umraniye Istanbul
TÜRKIYE

**Product: Circulation pump
Circulating pump**

This Attestation of Conformity is issued on a voluntary basis according to Council Directive 2006/42/EC relating to machinery. It confirms that the listed equipment (not Annex IV equipment) complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 874012337301-00

Date, 2023-09-06

(Bin Chen)

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. M8A 108819 0009 Rev. 00

Model(s):

ECP25-10-180, ECP25-10-180U, ECP25-12-180, ECP25-12-180N, ECP25-12-180U, ECP32-10-180, ECP32-10-180U, ECP32-12-180, ECP32-12-180N, ECP32-12-180U, ECP25-6-130, ECP25-6-180, ECP25-6-180U, ECP25-8-180, ECP20-4-130, ECP20-6-130, ECP25-4-130, ECP25-5-130, ECP25-4-180, ECP25-5-180, ECP32-4-180, ECP32-6-180, ECP25-8-180M, ECP25-9-180M, ECP32-8-180, ECP20-4-130U, ECP20-6-130U, ECP25-4-130U, ECP25-5-130U, ECP25-6-130U, ECP25-4-180U, ECP25-5-180U, ECP32-8-180U, ECP12/1.2, ECP32-4-220F, ECP32-6-220F, ECP32-8-220F, ECP32-10-220F, ECP25-4-180N, ECP25-6-180N, ECP25-8-180N, ECP25-10-180N, ECP32-4-180N, ECP32-6-180N, ECP32-8-180N, ECP32-10-180N, ECP32-4-220FN, ECP32-6-220FN, ECP32-8-220FN, ECP32-10-220FN

Parameters:

Rated voltage:	230V~
Rated frequency:	50/60Hz
Rated input power:	See below table for details
Rated current:	See below table for details
Protection class:	I
Degree of protection:	IPX4
Temperature classification:	Tf95

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. M8A 108819 0009 Rev. 00

Model name	Rated power input	Rated current
ECP25-10-180	140	0,98
ECP25-10-180U	140	0,98
ECP25-12-180	220	0,86
ECP25-12-180N	220	0,86
ECP25-12-180U	220	0,86
ECP32-10-180	140	0,98
ECP32-10-180U	140	0,98
ECP32-12-180	220	0,84
ECP32-12-180N	220	0,84
ECP32-12-180U	220	0,84
ECP25-6-130	45	0,38
ECP25-6-180	45	0,38
ECP25-6-180U	45	0,38
ECP25-8-180	150	0,58
ECP20-4-130	22	0,19
ECP20-6-130	45	0,38
ECP25-4-130	22	0,19
ECP25-5-130	30	0,26
ECP25-4-180	22	0,19
ECP25-5-180	30	0,26
ECP32-4-180	22	0,19
ECP32-6-180	45	0,38
ECP25-8-180M	62	1,05
ECP25-9-180M	90	1,05
ECP32-8-180	130	1,35
ECP20-4-130U	22	0,19
ECP20-6-130U	45	0,38

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. M8A 108819 0009 Rev. 00

ECP25-4-130U	22	0,19
ECP25-5-130U	30	0,26
ECP25-6-130U	45	0,38
ECP25-4-180U	22	0,19
ECP25-5-180U	30	0,26
ECP32-8-180U	130	1,35
ECP12/1.2	9	0,04
ECP32-4-220F	78	0,30
ECP32-6-220F	120	0,46
ECP32-8-220F	168	0,65
ECP32-10-220F	200	0,79
ECP25-4-180N	60	0,23
ECP25-6-180N	105	0,41
ECP25-8-180N	150	0,58
ECP25-10-180N	200	0,78
ECP32-4-180N	78	0,3
ECP32-6-180N	120	0,46
ECP32-8-180N	168	0,65
ECP32-10-180N	200	0,76
ECP32-4-220FN	78	0,3
ECP32-6-220FN	120	0,46
ECP32-8-220FN	168	0,65
ECP32-10-220FN	200	0,79

**Tested
according to:**

EN 60335-2-51:2003/A2:2012
EN 60335-1:2012/A15:2021
EN 62233:2008

Page 4 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®