

Model EA 50-32

File Number: EX28101

COMPANY
Alp Pompa (ETNA) Teknolojileri San. Ve Tic. A.S.
Dudullu OSB. 2.
Cad. No:14
Umraniye, Istanbul 34775 Turkiye

MODEL INFO
EA 50-32 *EA 50-32*
Centrifugal Fire Pumps, End Suction

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
200 (757)	2-1/2	2	153 (1,054)	221 (1,523)	2980	304 (2,096)
250 (946)	2-1/2	2	151 (1,041)	221 (1,523)	2980	304 (2,096)
300 (1,136)	2-1/2	2	147 (1,013)	220 (1,516)	2980	304 (2,096)
400 (1,514)	2-1/2	2	140 (965)	215 (1,482)	2980	304 (2,096)
450 (1,703)	2-1/2	2	171 (1,179)	210 (1,447)	2980	304 (2,096)

Report Date: 2020-05-26
Revision Date: 2026-09-24

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model EA 65-26

File Number: EX28101

COMPANY
Alp Pompa (ETNA) Teknolojileri San. Ve Tic. A.S.
Dudullu OSB. 2.
Cad. No:14
Umraniye, Istanbul 34775 Turkiye

MODEL INFO
EA 65-26 *EA 65-26*
Centrifugal Fire Pumps, End Suction

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
250 (946)	3	2-1/2	99 (682)	137 (944)	2980	217 (1,496)
300 (1,136)	3	2-1/2	98 (675)	138 (951)	2980	217 (1,496)
400 (1,514)	3	2-1/2	97 (668)	136 (937)	2980	217 (1,496)
500 (1,892)	3	2-1/2	92 (634)	133 (917)	2980	217 (1,496)

Report Date: 2020-05-26
Revision Date: 2026-09-24

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model EA 80-32

File Number: EX28101

COMPANY
Alp Pompa (ETNA) Teknolojileri San. Ve Tic. A.S.
Dudullu OSB. 2.
Cad. No:14
Umraniye, Istanbul 34775 Turkiye

MODEL INFO
EA 80-32
Centrifugal Fire Pumps, End Suction

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
500 (1,892)	4	3	127 (875)	196 (1,351)	2950	290 (1,999)

Report Date: 2020-05-26
Revision Date: 2026-09-24

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model EA 100-32

File Number: EX28101

COMPANY
Alp Pompa (ETNA) Teknolojileri San. Ve Tic. A.S.
Dudullu OSB. 2.
Cad. No:14
Umraniye, Istanbul 34775 Turkiye

MODEL INFO
EA 100-32
Centrifugal Fire Pumps, End Suction

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
750 (2,839)	5	4	115 (792)	174 (1,199)	2950	290 (1,999)
1,000 (3,785)	5	4	149 (1,027)	169 (1,165)	2950	290 (1,999)

Report Date: 2020-05-26
Revision Date: 2026-09-24

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."